

# Safety Data Sheet

## SABRE Civilian - Nitrogen

May be used to comply with OSHA's Hazard Communication Standard,  
29 CFR 1910.1200(g). Standard must be reviewed for specific requirements.

**Quick Identifier**

1/1/2018

**THIS PRODUCT IS EXEMPT FROM THE GLOBAL HARMONIZED STANDARD (GHS) 29CFR §1910.1200(b)(5)(v)**



### SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION

<b>PRODUCT NAME:</b>	<b>SABRE Civilian-Nitrogen</b>		
<b>SYNONYMS:</b>	Pepper Spray, OC Spray, Tear Gas		
<b>CHEMICAL NAME:</b>	Oleoresin Capsicum (OC or Red Pepper) and Orthochlorobenzalmalononitrile (CS Tear Gas)		
<b>CHEMICAL FAMILY:</b>	Irritant Agent		
<b>PRODUCT USE:</b>	Handheld aerosol canister that sprays an irritating formula in the eyes, nose and mouth of a person threatening your personal safety.		
<b>MODEL #'s:</b>	KR-14; HC-14-AC,-BK-PK,-RD; STUHC-14-AC,-BK,-PK,-RD; SPKC-14-PC,-GC; SPKCR-14, P-22, P-22J; SMATPD; S-HAPK		
<b>Manufacturer's Name:</b>	SECURITY EQUIPMENT CORPORATION	<b>Emergency Phone:</b>	800-325-9568
<b>Address:</b>	747 SUN PARK DRIVE	<b>Other Calls:</b>	636-343-0200
<b>City, State, Zip</b>	FENTON, MO 63026	<b>Fax Number:</b>	636-343-1318
<b>Further Information obtainable from Info Trac.</b>	Tel.: +1-800-535-5053		
<b>Information in case of emergency:</b>	Tel.: +1-352-323-3500		Fax: +1-352-323-0050

### SECTION 2 - HAZARD IDENTIFICATION

#### Classification of the substance or mixture

#### GHS Label Elements, including precautionary statements

<b>Pictogram:</b>	<b>GHS</b>		
<b>Signal Word:</b>	Warning		
<b>Hazard Statement(s)</b>			
H229	Pressurized container, may burst if heated		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
H335	May cause respiratory irritation		
<b>Precautionary Statement(s)</b>			
P102	Keep out of reach of children		
P210	Keep away from heat / sparks / open flame / hot surfaces - NO SMOKING		
P251	Pressurized container: Do NOT pierce or burn even after use		
P302 + P352	IF ON SKIN: Wash with plenty of soap and water		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue to rinse.		
P337 + P313	IF EYE IRRITATION PERSISTS: Get medical advice / attention		
P410	Protect from sunlight		
P412	Do NOT expose to temperatures exceeding 50°C / 122°F		

### SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s) (chemical & common name(s))	Content(s)	OSHA TWA	ACGIH TLV	Carcinogen (Yes / No)
Oleoresin Capsicum (OC or Red Pepper) CAS# 8023-77-6	10%*	N/A	N/A	No
Diethylene Glycol Monobutyl Ether CAS# 112-34-5	60%	N/A	10 ppm	No
Propylene Glycol CAS#57-55-6	29%	N/A	N/A	No
Nitrogen (propellant) CAS# 7727-37-9	1%	N/A	N/A	No

\*10% @ 1.33% Major Capsaicinoids

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. \*\* Other ingredients are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200(g) Para 1 (1) end Appendix D to CFR 1910.1200(g).

**SECTION 4 - FIRST AID MEASURES**

<b>Emergency &amp; First Aid Procedures:</b>	Remove victim from contaminated area and remove contaminated clothing. Provide fresh air, irrigate with copious amounts of cool water. Obtain medical advice if symptoms persist.
<b>Routes of Entry</b>	<b>1. Inhalation</b> Remove from contaminated area immediate. Provide fresh air. If breathing is difficult, administer oxygen. If the victim is not breathing, administer CPR. Seek immediate medical attention.
	<b>2. Eyes</b> Only exposed subject or EMS should remove subject's contact lenses. Irrigate with cool water for at least 15 minutes, or until relieved. Seek medical attention if irritation persists.
	<b>3. Skin</b> Flush with cool water for at least 15 minutes. Wash with mild soap and water. Seek medical attention if irritation persists.
	<b>4. Ingestion</b> DO NOT INDUCE VOMITING. If victim is conscious and not convulsing, rinse mouth with water. Ingest milk or water. Call 800-535-5053 or obtain medical advice immediately. If victim is convulsing or unconscious, do not give anything by mouth, ensure the victim's airway is open and lay the victim on his/her side with the head lower than the body. IMMEDIATELY transport the victim to a hospital.

**SECTION 5 - FIRE-FIGHTING MEASURES**

Flammability Classification 16 CFR 1500.45:	Non-Flammable; DO NOT USE with Electronic Immobilization Device
Flash Point:	> 106° C (228° F)      Auto-Ignition Temperature: > 228° C (442° F)
Extinguishing Media:	Halon, Carbon Dioxide, Dry Chemical or Water
Special Fire Fighting Procedures:	Wear respirator or self-contained breathing apparatus.
Unusual Fire and Explosion Hazards:	Smoke would be irritating to eyes and mucous membranes. Containers may burst in the heat of a fire.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Steps to follow if material is spilled or released:	Wipe up small spills with absorbent material. With large spills, use respiratory equipment, to avoid irritation, and collect absorbent materials.
If inside:	Ventilate area and after absorbent process, wash area with soap and cold water
If outside:	Stay upwind
Waste Disposal Method:	Dispose of in accordance with current laws and regulations.

**SECTION 7 - HANDLING AND STORAGE**

Precautions to be taken in handling & storage:	Store upright in a cool, dry area. Avoid direct light and heat.
	DO NOT expose to temperatures over 120° F / 50° C.
	DO NOT puncture or incinerate container.
Other Precautions:	Assure can is in a secure place to prevent accidental rupture.

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Respiratory Protection:	Not normally required in well-ventilated areas, however, NIOSH approved respiratory protection may be required when the material is used in confined areas. Avoid overexposure for long periods in enclosed areas.
Ventilation:	Yes
Protective Gloves:	Suggested (not required)
Eye Protection:	Yes. Exposure without protection in training environment is acceptable.
Other Protective Clothing/Equipment:	Not required
Work/Hygienic Practices:	Avoid absorption of product on clothing. If absorbed in clothing, remove and wash clothes at once. Do not eat, drink, or smoke while handling product.
Engineering Controls:	Provide ventilation if working in confined areas.

**SECTION 9 - PHYSICAL & CHEMICAL PROPERTIES**

Appearance & Odor:	Orange/Yellow in color. Odor is pungent	Physical State:	Liquid
Boiling Point:	220° C (428° F)	Specific Gravity (H2O = 1)	~0.92 @ 20° C
Solubility in Water:	Non-soluble	Vapor Pressure:	110 psi

**SECTION 10 - STABILITY AND REACTIVITY**

Stability	Unstable	Conditions To Avoid	Incompatibility (Materials To Avoid)	N/A
	Stable	<b>X</b>		
Hazardous Polymerization:	May Occur			
	Will Not Occur	<b>X</b>	Hazardous Decomposition Products:	N/A

**SECTION 11 - TOXICOLOGICAL INFORMATION**

Standard Draize Test: Skin, rabbit, 500 mg	Severity:	Moderately Irritating
Standard Draize Test: Eye, rabbit, 100 mg	Severity:	Moderately Irritating

**ACUTE INHALATION LC50 (rat):**

>201.90 mg/L

---

**SECTION 12 - ECOLOGICAL INFORMATION**

This product has not been tested for environmental effects.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods:** Consult Federal, State, and Local Regulations  
Evacuate contents in a safe area, & dispose of container.

**SECTION 14 - TRANSPORT INFORMATION****DOT HM-181 INFORMATION**

	<u>GROUND</u>	<u>AIR</u>
<b>Proper Shipping Name:</b>	LTD. QTY.	Aerosols, non-flammable (tear gas devices)
<b>Hazard Class or Division:</b>	none	2.2(6.1)
<b>Identification Number:</b>	none	UN1950
<b>Packaging Group:</b>	none	none
<b>Label(s) Required:</b>	none(ltd. Qty)	non-flamm gas & toxic(cargo aircraft only)

**INTERNATIONAL TRANSPORTATION REGULATIONS**

	<u>GROUND</u>	<u>AIR</u>	<u>OCEAN</u>
<b>Proper Shipping Name:</b>	LTD. QTY.	Aerosols, non-flammable (tear gas devices)	Aerosols, non-flammable (tear gas devices)
<b>Hazard Class or Division:</b>	none	2.2(6.1)	2.2(6.1)
<b>Identification Number:</b>	none	UN1950	UN1950
<b>Packaging Group:</b>	none	none	none
<b>Label(s) Required:</b>	none	non-flamm gas & toxic (cargo aircraft only)	non-flamm gas & toxic

**SECTION 15 - REGULATORY INFORMATION**

GHS within the EU: The new classification &amp; labelling system according to CLP regulation (EC) No 1272/2008

**Health hazard symbol:****P-Codes****Signal Word: WARNING****Exclamation Mark Eye Irritation, Category 2****H-Codes**

H315: Causes skin irritation

H319: Causes serious eye irritation

H229: Pressurized container: may burst if heated

H335: May cause respiratory irritation

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251: Do not pierce or burn, even after use.

P302+P352: IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. continue rinsing.

P337+P313: If eye irritation persists get medical advice/attention.

P410: Protect from sunlight.

P412: Do not expose to temperatures exceeding 50 °C/122 °F.

**TOXIC SUBSTANCES CONTROL ACT:**

This product is in compliance with the U.S. Toxic Substances Control Act (TSCA) inventory requirements.

**SARA TITLE III, SECTION 313:** CAS# 112-34-5**CLEAN AIR ACT (CAA):** Not Listed**CLEAN WATER ACT (CWA):** Not Listed**CALIFORNIA PROPOSITION 65:** Not Listed**MASSACHUSETTS RIGHT TO KNOW:** Not Listed**PENNSYLVANIA RIGHT TO KNOW:** CAS# 112-34-5**NEW JERSEY RIGHT TO KNOW:** CAS# 112-34-5**CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEMS (WHMIS):** Not Listed**SECTION 16 - OTHER INFORMATION**

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: This brief provides a general overview of the safety data sheet requirements in the Hazard Communication Standard (see 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200). It does not alter or determine compliance responsibilities in the standard or the Occupational Safety and Health Act of 1970. Since interpretations and enforcement policy may change over time, the reader should consult current OSHA interpretations and decisions by the Occupational Safety and Health Review Commission and the courts for additional guidance on OSHA compliance requirements. Please note that states with OSHA-approved state plans may have additional requirements for chemical safety data sheets, outside of those outlined above. For more information on those standards, please visit: <http://www.osha.gov/dccsp/osp/statestandards.html>.