# **Safety Data Sheet**

### **SABRE Civilian**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910. 1200(g). Standard must be reviewed for specific requirements.

Quick Identifier 5/4/2015

THIS PRODUCT IS EXEMPT FROM THE GLOBAL HARMONIZED STANDARD (GHS) 29CFR §1910.1200(b)(5)

THE TROBEST IS EXEMIT TROM THE GEOBLE HARMONIES STANDARD (GIIO) 2501 K 31010.1200(5)(0)						
SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION						
PRODUCT NAME:	SABRE Civilian					
SYNONYMS:	Pepper Spray, OC Spray, Tear Gas					
CHEMICAL NAME:	Oleoresin Capsicum (OC or Red Pepper) and	Orthochlorobenzalmalononitril	e (CS Tear Gas)			
CHEMICAL FAMILY:	Irritant Agent					
PRODUCT USE:	Handheld aerosol canister that sprays an irritating formula in the eyes, nose and mouth of a person threatening your personal safety.					
MODEL #'s:	Pen-14; M-60; HM-80; M-120L; M-120FT; BG-M120L-NH; S-HAPK; SMATPD					
Manufacturer's Name:	SECURITY EQUIPMENT CORPORATION	Emergency Phone:	800-325-9568			
Address:	747 SUN PARK DRIVE	Other Calls:	636-343-0200			
City, State, Zip	FENTON, MO 63026	Fax Number:	636-343-1318			
<b>Further Information obt</b>	ainable from Info Trac.	Tel.: +1-800-535-5053				
Information in case of emergency: Tel.: +1-352-323-3500 Fax: +1-352-323-0050						

### **SECTION 2 - HAZARD IDENTIFICATION**

### STATEMENT OF HAZARDOUS NATURE

HAZARDOUS SUBSTANCE. SEVERE IRRITANT. DANGEROUS GOODS. CONTENTS UNDER PRESSURE. According to the Criteria of NOHSC, and the ADG Code.

SEVERE SKIN, EYE, RESPIRATORY & DIGESTIVE IRRITANT. CONTENTS UNDER PRESSURE. KEEP OUT OF THE REACH OF CHILDREN. DO NOT PUNCTURE OR INCINERATE CANISTER. DO NOT EXPOSE TO HEAT OR STORE ABOVE 120° F. DO NOT USE AFTER CANISTER'S EXPIRATION DATE. CONTENTS ARE DANGEROUS, USE WITH CARE.

#### **HAZARD DESCRIPTION:**

Name:	Concentration	Classification			
Orthochlorobenzalmalononitrile	1.0%	Irritating to skin, eyes, respiratory and digestive systems			
Oleoresin Capsicum (OC or Red	10% @ 0.33% Major Capsaicinoids	Irritating to skin, eyes, respiratory and digestive systems			
POISONS SCHEDULE:	None				
RISK:	SAFETY:				
Irritating to skin.	Do not breathe gas/fumes/vapor/spray.				
Irritating to eyes.	Wear eye/face protection.				
Irritating to respiratory system.	To clean the floor and all objects contar	minated by this material, use water.			
Irritating to digestive system.	Take off immediately all contaminated clothing.				
Risk of explosion if heated under	In case of contact with eyes, rinse with plenty of water and contact Doctor or Poisons Information				
confinement.	Center.				
Material and container must be	If swallowed, IMMEDIATELY contact	ct Doctor or Poisons Information Center. (show this container or			
disposed of as hazardous waste.	label).	· ·			
HMIS Ratings:	Health: 2 Fire: 1	Reactivity: 0			
Signs & Symptoms Of Exposure: Inc	gredients cause irritation through all routes	of entry.			
EYE: Liquid or vapors may cause redn	ess, burning, tearing, swelling and/or pain.				
SKIN: Frequent or repeated contact wi	th skin may cause burning, redness or skir	n irritation and dermatitis.			
<b>INGESTION:</b> Ingestion may cause irrita	ation to the mouth, throat and stomach, as	well as nausea, vomiting, and/or diarrhea.			

**INHALATION:** May cause irritation of the respiratory tract as coughing, sneezing, gagging, chest tightness and irritation to the throat and lungs.

MEDICAL CONDITIONS AGRAVATED: May cause more severe, temporary, effects on those persons who are asthmatics or suffer from emphysema.

CARCINGEN DATA: None of the Ingredients in this product are listed with OSHA. IARC or NTP as carcinogenic.

<b>SECTION 3 - COMPOSITION / INFORMATION ON</b>	INGREDIE	NTS		
Hazardous Component(s) (chemical & common name(s)	Content(s)	OSHA TWA	ACGIH TLV	Carcinogen (Yes / No)
Orthochlorobenzalmalononitrile (CS Tear Gas) CAS# 2698-41-1	1.0%	N/A	N/A	No
Oleoresin Capsicum (OC or Red Pepper) CAS# 8023-77-6	10%*	N/A	N/A	No
Diethylene Glycol Monobutyl Ether CAS# 112-34-5	**	N/A	10 ppm	No
Inert Ingredients	**	N/A	N/A	No
HFC-134A CAS# 811-97-2	**	1000 ppm	N/A	No
*400/ @ 0.000/ Main Onnaida				

\*10% @ 0.33% Major Capsaicinoids

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. \*\* Other ingredients are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200(g) Para 1 (1) end Appendix D to CFR 1910.1200(g).

					Made in the
<b>SECTION 4 - FIRST</b>	AID MEA	SURES			
Emergency & First Aid Pr	rocedures:			a and remove contaminate vater. Obtain medical advid	d clothing. Provide fresh air, ce is symptoms persist.
		1. Inhalation	difficult, administer oxyg immediate medical atter	en. If the victim is not breantion.	de fresh air. If breathing is thing, administer CPR. Seek
		2. Eyes			ct's contact lenses. Irrigate with Seek medical attention if irritati
Routes of Er	ntry >	3. Skin	Flush with cool water for medical attention if irritar		with mild soap and water. Seel
		4. Ingestion	with water. Ingest milk of immediately. If victim is ensure the victim's airwa	or water. Call 800-535-505 convulsing or unconscious	, do not give anything by mouth n on his/her side with the head
SECTION 5 - FIRE-	FIGHTING	MEASUR	ES		
Flammability Classification	16 CFR 1500	).45:		USE with Electronic Immobiliz	
	> 106° C (228	,		n Temperature: > 228° C (44	12° F)
Extinguishing Media:			n Dioxide, Dry Chemical or W		
Special Fire Fighting Proce			or or self-contained breathing		
Unusual Fire and Explosion	n Hazards:	Smoke would	be irritating to eyes and muc	ous membranes. Containers	may burst in the heat of a fire.
SECTION 6 - ACCIE					
Steps to follow if materia or released:	al is spilled		I spills with absorbent materi sorbent materials.	al. With large spills, use respi	ratory equipment, to avoid irritation,
If inside:		Ventilate are	a and after absorbent pro	cess, wash area with soap	and cold water
If outside:		Stay upwind			
Waste Disposal Method			n accordance with current	laws and regulations.	
SECTION 7 - HAND	LING AND				
Precautions to be taken in storage:	handling &	DO NOT expo	in a cool, dry area. Avoid dir		
Other Precautions:			cture or incinerate container. in a secure place to prevent	accidental runture	
	SURE CO		ND PERSONAL PRO		
Respiratory Protection:			ired when the material is		approved respiratory protection oid overexposure for long period
Ventilation:		Yes			
Protective Gloves:		Suggested (			
Eye Protection:				aining environment is accep	otable.
Other Protective Clothing	/Equipment:	Not required			
Work/Hygienic Practices	 S:		otion of product on clothing drink, or smoke while hand		remove and wash clothes at onc
Engineering Controls:			ilation if working in confine		
<b>SECTION 9 - PHYS</b>	ICAL & CI	HEMICAL F	PROPERTIES		
			Odor is pungent	Physical State:	Liquid
	220° C (428°			Specific Gravity (H20 = 1)	~0.92 @ 20° C
	Non-soluble	,		Vapor Pressure:	80 psi
SECTION 10 - STAI		D REACT!	VITY	- Apo	00 p3i
	Unstable	D NEAOH	Conditions To Avoid	Incompatibility (Materials To	Avoid) N/A
Stability -	Stable	Х	20		
	May Occur				

Hazardous Decomposition Products:

N/A

Conditions To Avoid

Hazardous

Polymerization:

May Occur

Will Not Occur

Χ

**SECTION 11 - TOXICOLOGICAL INFORMATION** 

Standard Draize Test: Skin, rabbit, 500 mg
Standard Draize Test: Eye, rabbit, 100 mg
Severity: Moderately Irritating
Moderately Irritating
ACUTE INHALATION LC50 (rat): >201.90 mg/L

### **SECTION 12 - ECOLOGICAL INFORMATION**

This product has not been tested for environmental effects.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste Disposal Methods: Consult Federal, State, and Local Regulations

Evacuate contents in a safe area, & dispose of container.

### **SECTION 14 - TRANSPORT INFORMATION**

### **DOT HM-181 INFORMATION**

GROUNDAIRProper Shipping Name:LTD. QTY.Aerosols, non-flammable (tear gas devices)Hazard Class or Division:none2.2(6.1)Identification Number:noneUN1950Packaging Group:nonenone

Label(s) Required: none(ltd. Qty) Non-flamm gas & toxic, cargo aircraft only

INTERNATIONAL TRANSPORTATION REGULATIONS

GROUNDAIROCEANProper Shipping Name:LTD. QTY.Aerosols, non-flammable Aerosols, non-flammable (tear

(tear gas devices) gas devices)

Hazard Class or Division:none2.2(6.1)2.2(6.1)Identification Number:noneUN1950UN1950Packaging Group:nonenonenone

Label(s) Required: none(ltd. Qty) Non-flamm gas & toxic, Non-flamm gas & toxic

cargo aircraft only

### **SECTION 15 - REGULATORY INFORMATION**

GHS within the EU: The new classification & labelling system according to CLP regulation (EC) No 1272/2008

### Health hazard symbol:



### **P-Codes**

Signal Word: WARNING

Exclamation Mark Skin & Eye Irritation, Category 2

H-Codes

H315: Causes skin irritation

H319: Causes serious eye irritation

H229: Pressurized container: may burst if heated

H335: May cause respiratory irritation

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251: Do not pierce or burn, even after use.

P302+P352: IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. continue

rinsing.

P337+P313: If eye irritation persists get medical advice/attention.

P410: Protect from sunlight.

P412: Do not expose to temperatures exceeding 50 °C/122 °F.

### **TOXIC SUBSTANCES CONTROL ACT:**

This product is in compliance with the U.S. Toxic Substances Control Act (TSCA) inventory requirements.

SARA TITLE III, SECTION 313:	CAS# 112-34-5	
CLEAN AIR ACT (CAA):	Not Listed	
CLEAN WATER ACT (CWA):	Not Listed	
CALIFORNIA PROPOSITION 65:	Not Listed	
MASSACHUSETTS RIGHT TO KNOW:	Not Listed	
PENNSYLVANIA RIGHT TO KNOW:	CAS# 112-34-5	
NEW JERSEY RIGHT TO KNOW:	CAS# 112-34-5	

CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATIONS SYSTEMS (WHMIS):

Not Listed

### **SECTION 16 - OTHER INFORMATION**

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: This brief provides a general overview of the safety data sheet requirements in the Hazard Communication Standard (see 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200). It does not alter or determine compliance responsibilities in the standard or the Occupational Safety and Health Act of 1970. Since interpretations and enforcement policy may change over time, the reader should consult current OSHA interpretations and decisions by the Occupational Safety and Health Review Commission and the courts for additional guidance on OSHA compliance requirements. Please note that states with OSHA-approved state plans may have additional requirements for chemical safety data sheets, outside of those outlined above. For more information on those standards, please visit: http://www.osha.gov/dcsp/osp/statestandards.html.

# **Safety Data Sheet**

# **SABRE Civilian - Nitrogen**

May be used to comply with OSHA's Hazard Communication Standard,

Quick Identifier

29 CFR 1910. 1200(g). Standard must be reviewed for specific requirements.

1/1/2018

THIS PRODUCT IS EXEMPT FROM THE GLOBAL HARMONIZED STANDARD (GHS) 29CFR §1910.1200(b)(5)(v)

<b>SECTION 1 - CHE</b>	MICAL PRODUCT & COMPANY IDEN	TIFICATION		
PRODUCT NAME:	SABRE Civilian-Nitrogen			
SYNONYMS:	Pepper Spray, OC Spray, Tear Gas			
CHEMICAL NAME:	Oleoresin Capsicum (OC or Red Pepper) and	Orthochlorobenzalmalononitri	e (CS Tear Gas)	
CHEMICAL FAMILY:	Irritant Agent			
PRODUCT USE:	Handheld aerosol canister that sprays an irritating formula in the eyes, nose and mouth of a person threatening your personal safety.			
MODEL #'s:	KR-14; HC-14-AC,-BK-PK,-RD; STUHC-14-A SMATPD; S-HAPK	C,-BK,-PK,-RD; SPKC-14-PC,-0	GC; SPKCR-14, P-22, P-22J;	
Manufacturer's Name:	SECURITY EQUIPMENT CORPORATION	Emergency Phone:	800-325-9568	
Address:	747 SUN PARK DRIVE	Other Calls:	636-343-0200	
City, State, Zip	FENTON, MO 63026	Fax Number:	636-343-1318	
Further Information obt	ainable from Info Trac.	Tel.: +1-800-535-5053		
Information in case of emergency: Tel.: +1-352-323-3500 Fax: +1-352-323-0050				
	ADD IDENTIFICATION			

### SECTION 2 - HAZARD IDENTIFICATION

### Classification of the substance or mixture

### GHS Label Elements, including precautionary statements

Pictogram:	GHS
Signal Word:	Warning
Hazard Statement(s)	V
H229	Pressurized container, may burst if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
Precautionary Statement(s)	
P102	Keep out of reach of children
P210	Keep away from heat / sparks / open flame / hot surfaces - NO SMOKING
P251	Pressurized container: Do NOT pierce or burn even after use
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue to rinse.
P337 + P313	IF EYE IRRITATION PERSISTS: Get medical advice / attention
P410	Protect from sunlight
P412	Do NOT expose to temperatures exceeding 50°C / 122°F

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS					
Hazardous Component(s) (chemical & common name(s)	Content(s)	OSHA TWA	ACGIH TLV	Carcinogen (Yes / No)	
Oleoresin Capsicum (OC or Red Pepper) CAS# 8023-77-6	10%*	N/A	N/A	No	
Diethylene Glycol Monobutyl Ether CAS# 112-34-5	60%	N/A	10 ppm	No	
Propylene Gycol CAS#57-55-6	29%	N/A	N/A	No	
Nitrogen (propellant) CAS# 7727-37-9	1%	N/A	N/A	No	
*10% @ 1.33% Major Capsaicinoids					

Major Capsaicinoids are determined via A.O.A.C. Method 995.03. \*\* Other ingredients are trade secrets as defined in Hazard Communications ACT 29 CFR 1910.1200(g) Para 1 (1) end Appendix D to CFR 1910.1200(g).

					ade in the U
<b>SECTION 4 - FIRST AID MEA</b>	ASURES				
Emergency & First Aid Procedures:			a and remove contaminate	•	
Emergency & First Aid Frocedures.	irrigate with	-	ater. Obtain medical advic		
			ted area immediate. Provi		•
	1. Inhalation		en. If the victim is not brea	thing, administer CPR	. Seek
		immediate medical attent		et's contact langua lum	iaata with
	2. Eyes		EMS should remove subjeminutes, or until relieved.		
	Z. Lyes	persists.	minutes, or until relieved.	Seek medical attention	ii ii iiiialioii
Routes of Entry	3. Skin	Flush with cool water for	at least 15 minutes. Wash	with mild soap and w	ater. Seek
/		medical attention if irritati	TING. If victim is consciou	us and not son ulaina	#in a a
			r water. Call 800-535-505		
			convulsing or unconscious		
	4. Ingestion		y is open and lay the victin		
			MEDIATELY transport the		
<b>SECTION 5 - FIRE-FIGHTING</b>	MEASUR	ES			
Flammability Classification 16 CFR 150	0.45:	Non-Flammable; DO NOT U	JSE with Electronic Immobiliz	ation Device	
Flash Point: > 106° C (228	3° F)	Auto-Ignition	Temperature: > 228° C (44	12° F)	
Extinguishing Media:		n Dioxide, Dry Chemical or Wa			
Special Fire Fighting Procedures:	Wear respirat	or or self-contained breathing	apparatus.		
Unusual Fire and Explosion Hazards:	Smoke would	be irritating to eyes and mucc	ous membranes. Containers	may burst in the heat of a	a fire.
<b>SECTION 6 - ACCIDENTAL F</b>	RELEASE N	IEASURES			
Steps to follow if material is spilled		=	al. With large spills, use respi	ratory equipment, to avoi	id irritation,
or released:	and collect ab	sorbent materials.			
If inside:	Ventilate are	a and after absorbent proc	cess, wash area with soap	and cold water	
If outside:	Stay upwind				
Waste Disposal Method:	•	accordance with current l	aws and regulations.		
<b>SECTION 7 - HANDLING AN</b>	D STORAG	E			
Draggutians to be taken in handling 9	Store upright i	n a cool, dry area. Avoid dire	ct light and heat.		
Precautions to be taken in handling & storage:	DO NOT expose to temperatures over 120° F / 50° C.				
	DO NOT puncture or incinerate container.				
Other Precautions:		in a secure place to prevent a			
SECTION 8 - EXPOSURE CO	ONTROLS A	ND PERSONAL PRO	TECTION		
			areas, however, NIOSH a		
Respiratory Protection:			sed in confined areas. Av	oid overexposure for lo	ong periods
	in enclosed areas.				
Ventilation:	Yes				
Protective Gloves:	Suggested (				
Eye Protection:			ining environment is accep	otable.	
Other Protective Clothing/Equipment:	Not required		J. If absorbed in clothing, r	romovo and wash sloth	oc of open
Work/Hygienic Practices:	•	lrink, or smoke while handl	•	emove and wash clou	ies at once.
Engineering Controls:		ilation if working in confine	• 1		
SECTION 9 - PHYSICAL & C			d dicas.		
		Odor is pungent	Physical State:	Liquid	
Boiling Point: 220° C (428		ouor is pungent	Specific Gravity (H20 = 1)	•	
· · · · · · · · · · · · · · · · · · ·	· ·		Vapor Pressure:	~0.92 @ 20° C	
		//ITV	vapoi i iessuie.	110 psi	
SECTION 10 - STABILITY AN	ND KEACII		In a reserve 49 292 (A.A. e. 2. )	. A	
Stability Unstable		Conditions To Avoid	Incompatibility (Materials To	Avoid) N/A	
Stable	Х				
Hazardous May Occur		Conditions T- A	Hozordova Dagazza z z 16	Droducto: N/A	
Polymerization: Will Not Occur	X	Conditions To Avoid	Hazardous Decomposition I	Products: N/A	
SECTION 11 - TOXICOLOGIC					
Standard Draize Test: Skin, rabbit, 50	0 mg	Severity: Moderately In	rritating		

Standard Draize Test: Skin, rabbit, 500 mg
Standard Draize Test: Eye, rabbit, 100 mg
Severity: Moderately Irritating
Severity: Moderately Irritating

### **SECTION 12 - ECOLOGICAL INFORMATION**

This product has not been tested for environmental effects.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste Disposal Methods: Consult Federal, State, and Local Regulations

Evacuate contents in a safe area, & dispose of container.

### **SECTION 14 - TRANSPORT INFORMATION**

**DOT HM-181 INFORMATION** 

GROUND AIR

Proper Shipping Name: LTD. QTY. Aerosols, non-flammable (tear gas devices)

Hazard Class or Division:none2.2(6.1)Identification Number:noneUN1950Packaging Group:nonenone

Label(s) Required: none(ltd. Qty) non-flamm gas & toxic(cargo aircraft only)

INTERNATIONAL TRANSPORTATION REGULATIONS

 GROUND
 AIR
 OCEAN

 Proper Shipping Name:
 LTD. QTY.
 Aerosols, non-flammable Aerosols, non-flammabl

oper Shipping Name: LTD. QTY. Aerosols, non-flammable Aerosols, non-flammable (tear

(tear gas devices) gas devices)

Hazard Class or Division:none2.2(6.1)2.2(6.1)Identification Number:noneUN1950Packaging Group:nonenonenone

Label(s) Required: non-flamm gas & toxic non-flamm gas & toxic

(cargo aircraft only)

### **SECTION 15 - REGULATORY INFORMATION**

GHS within the EU: The new classification & labelling system according to CLP regulation (EC) No 1272/2008

Health hazard symbol:





### P-Codes

Signal Word: WARNING

**Exclamation Mark Eye Irritation, Category 2** 

**H-Codes** 

H315: Causes skin irritation

H319: Causes serious eye irritation

H229: Pressurized container: may burst if heated

H335: May cause respiratory irritation

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P251: Do not pierce or burn, even after use.

P302+P352: IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses if present and easy to do. continue

rinsing.

P337+P313: If eye irritation persists get medical advice/attention.

P410: Protect from sunlight.

P412: Do not expose to temperatures exceeding 50 °C/122 °F.

### TOXIC SUBSTANCES CONTROL ACT:

This product is in compliance with the U.S. Toxic Substances Control Act (TSCA) inventory requirements.

SARA TITLE III, SECTION 313:	CAS# 112-34-5	
CLEAN AIR ACT (CAA):	Not Listed	
CLEAN WATER ACT (CWA):	Not Listed	
CALIFORNIA PROPOSITION 65:	Not Listed	
MASSACHUSETTS RIGHT TO KNOW:	Not Listed	
PENNSYLVANIA RIGHT TO KNOW:	CAS# 112-34-5	
NEW JERSEY RIGHT TO KNOW:	CAS# 112-34-5	

## CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATIONS SYSTEMS (WHMIS):

Not Listed

### **SECTION 16 - OTHER INFORMATION**

Format and Preparation Complies with ANSI Z400.1-1993

DISCLAIMER: This brief provides a general overview of the safety data sheet requirements in the Hazard Communication Standard (see 29 CFR 1910.1200(g) and Appendix D of 29 CFR 1910.1200). It does not alter or determine compliance responsibilities in the standard or the Occupational Safety and Health Act of 1970. Since interpretations and enforcement policy may change over time, the reader should consult current OSHA interpretations and decisions by the Occupational Safety and Health Review Commission and the courts for additional guidance on OSHA compliance requirements. Please note that states with OSHA-approved state plans may have additional requirements for chemical safety data sheets, outside of those outlined above. For more information on those standards, please visit: http://www.osha.gov/dcsp/osp/statestandards.html.