

#10106

### MATERIAL SAFETY DATA SHEET

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

MSDS #: 0009KC  
 Issue Date: 08/22/2011  
 PRODUCT NAME: Kiwi Shoe Polish Kit  
 GENERAL USE: Paste shoe polish.  
 APPEARANCE: Solid paste with characteristic color.

Distributor in USA  
 S.C. Johnson & Son, Inc  
 1525 Howe Street  
 Racine WI 53403-2236 USA

Distributor in Canada  
 S.C. Johnson and Son, Limited  
 1 Webster Street  
 Brantford ON N3T 5R1 Canada

#### TELEPHONE NUMBERS FOR INFORMATION (24 hours)

Transport and Medical Emergency Phone (866) 231-5406  
 International Emergency Phone (952) 852-4647  
 Canadian Transport Emergency Phone (CANUTEC) (613) 996-6666

#### SECTION 2 - HAZARDOUS INGREDIENTS

NAME	CAS #	%	OSHA PEL	ACGIH	SARA	SARA
					TWA	302
STODDARD SOLVENT	8052413	50 TO 55	TWA 500PPM STEL None	100 ppm	No	No
OR HEAVY NAPHTHA	64741419	TO	TWA None STEL None	None	No	No
1-CHLORO-4-(TRIFLUOROMETHYL) BENZENE	98566	0 TO 12	TWA None STEL None	None	No	Yes
1,2,4-TRIMETHYL BENZENE	95636	2 TO 5	TWA None STEL None	None	No	No

In Canada, Not a WHMIS Controlled Product (Consumer Commodity)

#### SECTION 3 - HAZARDS IDENTIFICATION

This product may cause mild eye irritation. Direct contact with eyes may cause stinging, tearing, or redness. Prolonged exposure may cause eye or skin irritation. Ingestion of excessive quantities may cause digestive tract irritation and signs of nervous system depression such as drowsiness, loss of coordination or headache.

#### SECTION 4 - FIRST AID MEASURES

**INHALATION** Remove to fresh air. Contact a physician if breathing difficulties exist.  
**SKIN / EYE CONTACT** Eyes: Flush with water. Contact a physician if irritation persists. Skin: Wash with soap and water. Contact a physician if irritation persists.  
**INGESTION:** Obtain medical assistance to determine appropriate action.

#### SECTION 5 - FIRE FIGHTING MEASURES

**FLASH POINT** Not applicable. This product is a solid that can be ignited readily and will burn vigorously.  
**FLAMMABLE LIMITS** LEL: N.D. UEL: N.D.  
**AUTOIGNITION TEMP.** N.D.  
**NFPA AEROSOL LEVEL:** Does not apply to non-aerosol  
**EXTINGUISHING MEDIA** Foam, CO2, or dry chemicals, water spray or fog.  
**FIRE FIGHTING PROCEDURE :** Use self-contained breathing apparatus when fighting fires in an enclosed area.  
**UNUSUAL FIRE & EXPLOSION HAZARDS** None.  
**HAZ. COMBUSTION PRODUCTS** Combustion will yield carbon dioxide and/or carbon monoxide and traces of oxides of nitrogen.

#### SECTION 6: ENVIRONMENTAL RELEASE MEASURES

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED -**  
 Remove ignition sources and secure area. Scrape up or sweep up using absorbent material as necessary. Place into an approved container.

**SECTION 7: HANDLING AND STORAGE**

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE -**

Do not store above 49 C (120 F).

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**ENGINEERING CONTROLS** Not normally needed. Mechanical ventilation should be used when working with hot material or when using large quantities in a confined area.

**PERSONAL PROTECTION:**

**RESPIRATORY PROTECTION (SPECIFY TYPE):**

Not normally required. If exposure limits are exceeded, use self-contained breathing apparatus or a cartridge respirator.

**PROTECTIVE GLOVES** Not needed unless handling hot material or if sensitive to the material.

**EYE PROTECTION:** Safety goggles or face shield should be used when possibility of splashing of hot material.

**OTHER PROTECTION:** None.

**WORK / HYGIENIC PRACTICES:** Practice safe workplace habits. Minimize body contact with this as well as all chemicals in general.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

<b>VAPOR PRESSURE (MM Hg)</b>	N.D.	<b>VAPOR DENSITY (AIR =1 )</b>	N.D.
<b>SPECIFIC GRAVITY (WATER =1)</b>	0.8	<b>EVAPORATION RATE (WATER =1)</b>	N.D.
<b>SOLUBILITY IN WATER</b>	Negligible	<b>FREEZING POINT</b>	Not
<b>pH</b>	N.D.	<b>ODOR</b>	Characteristic solvent.
<b>BOILING POINT</b>	N.D.	<b>VOLATILE ORGANIC COMPOUND (Total VOC's)</b>	55-65%

**SECTION 10 - STABILITY AND REACTIVITY**

**STABILITY:** Stable at normal use temperatures.

**CONDITIONS TO AVOID:** None.

**INCOMPATIBILITY (MATERIALS TO AVOID)**

Strong oxidizers.

**HAZARDOUS DECOMPOSITION PRODUCTS:**

Combustion will yield carbon dioxide and/or carbon monoxide and traces of oxides of nitrogen.

**HAZARDOUS POLYMERIZATION** None.

**SECTION 11 - TOXICOLOGICAL INFORMATION**

<b>Hazardous Ingredients</b>	<b>%</b>	<b>CAS #</b>	<b>LD50 of Ingredients</b>	<b>LC50 of Ingredients</b>
STODDARD SOLVENT	50 TO 55	8052413	>5 gm/kg Rat-oral	>5500 mg/m3/kg Rat-inh
OR HEAVY NAPHTHA	TO	64741419	N.AV.	N.AV.
1-CHLORO-4-(TRIFLUOROMETHYL) BENZENE	0 TO 10	98566	>13 gm/kg Rat-oral	22g/m3 Rat-inh
1,2,4-TRIMETHYL BENZENE	2 TO 5	95636	5 gm/kg Rat-oral	N.AV.

**SECTION 12 - ECOLOGICAL INFORMATION**

None.

**SECTION 13 - DISPOSAL INFORMATION**

Dispose of in accordance with federal, state or local regulations.

**SECTION 14 - TRANSIT INFORMATION**

Solid containing flammable liquid, n.o.s. (petroleum distillate) UN 3175, hazard Division 4.1, PG II reclassified Consumer Commodity ORM-D for ground transportation.

**SECTION 15 - REGULATORY INFORMATION**

**TSCA (Toxic Substance Control Act):**

Components of this product are listed on the TSCA Inventory.

**SARA TITLE III (Superfund Amendments and Reauthorization Act) ,Canadian Regulations and California Prop 65:**

Chemical Name	CAS #	SARA 313	SARA 302	CANADA IDL	DSL	NDSL
STODDARD SOLVENT	8052413	No	No	Yes	Yes	No
OR HEAVY NAPHTHA	64741419	No	No	No	Yes	No
1-CHLORO-4-(TRIFLUOROMETHYL) BENZENE	98566	No	No	No	Yes	No
1,2,4-TRIMETHYL BENZENE	95636	Yes	No	Yes	Yes	No
Chemical Name	CAS #	Prop65 Cancer	Prop65 Developmental	Prop65 Female Reproductive	Prop65 Male Reproductive	
STODDARD SOLVENT	8052413	No	No	No	No	No
OR HEAVY NAPHTHA	64741419	No	No	No	No	No
1-CHLORO-4-(TRIFLUOROMETHYL) BENZENE	98566	No	No	No	No	No
1,2,4-TRIMETHYL BENZENE	95636	No	No	No	No	No

**SECTION 16 -OTHER INFORMATION**

**US and Canada SKU**      103-011 (10311), 104-011 (10411), 103-013 (10313), 20175

**HMIS HAZARD**

HEALTH:	2	0 = INSIGNIFICANT	3 = HIGH
FLAMMABILITY	3	1 = SLIGHT	4 = EXTREME
REACTIVITY:	0	2 = MODERATE	

PERSONAL PROTECTION EQUIPMENT: None

MSDS Prepared By: SARA LEE / SCJ Global Safety Assessment Regulatory Affairs (GSARA)

THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND EXPRESSED OR IMPLIED IS MADE WITH RESPECT TO THE INFORMATION CONTAINED HEREIN.